

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/26/2020 Revision date: 10/22/2024 Supersedes version of: 1/10/2024 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form	:	Mixture
Trade name	:	ANIMATE - Insect remover
UFI	:	5WWG-R7XK-5K06-VYT5
Product code	:	115555558
Product group	:	Trade product

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Relevant identified uses**

Intended for general public Main use category Use of the substance/mixture

Consumer useExterior cleaning products - all vehicle types

Distributor

## 1.3. Details of the supplier of the safety data sheet

Manufacturer Brands Alliance s.r.o. Ltd Pri Šajbách 1 SK 831 06 Bratislava T +421244871700 msds@brandsalliance.eu, www.brandsalliance.eu

AENSO UK LTD Chandos House School Lane GB MK18 1HD Buckingham T +441280703163

#### **1.4. Emergency telephone number**

No additional information available

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008
			[CLP]
Dipropylene glycol methyl ether substance with national workplace exposure limit(s) (GB, NL, PL, SK)	CAS-No.: 34590-94-8 EC-No.: 252-104-2	1 – 5	Acute Tox. 4 (Inhalation:dust,mist), H332
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (DE, GB, NL, PL, SK); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8	1 – 5	Eye Irrit. 2, H319 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures general : If you feel unwell, seek medical advice. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. : First-aid measures after skin contact Wash skin with plenty of water. : First-aid measures after eye contact Rinse eyes with water as a precaution. First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. : 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. Symptoms/effects after skin contact : None under normal conditions. None under normal conditions. Symptoms/effects after eye contact : Symptoms/effects after ingestion None under normal conditions. ·

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>No fire hazard.</li> <li>No direct explosion hazard.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Protective equipment	: Wear recommended personal protective equipment.		
Emergency procedures	: Ventilate spillage area.		
For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.		

# 6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.	
Methods for cleaning up	: Take up liquid spill into absorbent material.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4 Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions Packaging materials	<ul> <li>Keep in a cool, well-ventilated place away from heat.</li> <li>Keep cool. Protect from sunlight.</li> <li>Store always product in container of same material as original container.</li> </ul>

## 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
National occupational exposure and biological limit values		
Dipropylene glycol methyl ether (34590-94-8)		
United Kingdom - Occupational Exposure Limits		
Local name (2-methoxymethylethoxy) propanol		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropylene glycol methyl ether (34590-94-8)		
WEL TWA (OEL TWA)	308 mg/m <sup>3</sup>	
	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA)	67.5 mg/m³	
10 ppm		
WEL STEL (OEL STEL)	101.2 mg/m³	
	15 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

# 8.2. Exposure controls

### Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### **Personal protection equipment**

## Personal protective equipment:

Safety glasses. Personal protective equipment symbol(s):



#### Eye and face protection

**Eye protection:** Safety glasses

#### **Skin protection**

### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	0,4-0,7		EN ISO 374-1, EN ISO 374, EN 374-2

## **Respiratory protection**

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls

**Environmental exposure controls:** Avoid release to the environment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and ch	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Colour	: light green.		
Appearance	: Liquid.		
Odour	: Fruity.		
Odour threshold	: Not available		
Melting point	: Not available		
Freezing point	: <-20 °C		
Boiling point	: Not available		
Flammability	: Non flammable.		
Lower explosion limit	: Not available		
Upper explosion limit	: Not available		
Flash point	: Not available		
Auto-ignition temperature	: Not available		
Decomposition temperature	: Not available		
pH	: ≈7		
Viscosity, kinematic	: Not available		
Solubility	: Soluble in water.		
Partition coefficient n-octanol/water (Log Kow)	: Not available		
Vapour pressure	: Not available		
Vapour pressure at 50°C	: Not available		
Density	: Not available		
Relative density	: Not available		
Relative vapour density at 20°C	: Not available		
Particle characteristics	: Not applicable		

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal)

```
: Not classified
: Not classified
```

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) :	Not classified	
3-butoxypropan-2-ol; propylene glycol monob	outyl ether (5131-66-8)	
LD50 oral rat	3300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2800 - 4500	
LD50 oral	4500 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	3100 mg/kg Source: NLM;chemIDplus, TOMES;LOLI;	
LD50 dermal	8100 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1420 mg/l/4h	
Dipropylene glycol methyl ether (34590-94-8)		
LD50 oral rat	> 5000 mg/l Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 3000 mg/m³ Source: ECHA	
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg	
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	pH: ≈ 7 Not classified pH: ≈ 7	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
····,	Not classified	
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)	
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:	
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:	
5	Not classified	
STOT-repeated exposure :	Not classified	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
Dipropylene glycol methyl ether (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:KANPOGYO No.700, YAKUHATSU No. 1039.61, and KIKYKU No. 1014.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropylene glycol methyl ether (34590-94-8)		
NOAEL (dermal, rat/rabbit, 90 days)	2850 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
2-(2-butoxyethoxy)ethanol; diethylene glyco	I monobutyl ether (112-34-5)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	< 200 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not classified	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Viscosity, kinematic	6.794 mm²/s	

11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
	Not classified
(acute)	Net de la 10 d
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
3-butoxypropan-2-ol; propylene glycol monol	outyl ether (5131-66-8)
LC50 - Fish [1]	560 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Dipropylene glycol methyl ether (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea: Acartia tonsa
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	<ul> <li>&gt; 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)</li> </ul>

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability		
ANIMATE - Insect remover		
Persistence and degradability	Not rapidly degradable	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Persistence and degradability	Not rapidly degradable	
Dipropylene glycol methyl ether (34590-94-8)		
Persistence and degradability	Not rapidly degradable	
2-(2-butoxyethoxy)ethanol; diethylene glyco	ol monobutyl ether (112-34-5)	
Persistence and degradability	Not rapidly degradable	
12.3. Bioaccumulative potential		
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Partition coefficient n-octanol/water (Log Pow)	0.98 Source: EPISUITE	
2-(2-butoxyethoxy)ethanol; diethylene glyco	ol monobutyl ether (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	0.56	
12.4. Mobility in soil		
3-butoxypropan-2-ol; propylene glycol mon	obutyl ether (5131-66-8)	
Mobility in soil	9.228	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
42.4 Microfe fue of months and a		

13.1. Waste treatment methods

Regional waste regulation Waste treatment methods : Disposal must be done according to official regulations.

: Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations

Product/Packaging disposal recommendations Additional information

- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.

# **SECTION 14: Transport information**

# In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.2. UN proper shipping	g name	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard c	lass(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		·		·
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	· ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary informatio	n available	11		

## 14.6. Special precautions for user

Overland transport Not applicable

### Transport by sea Not applicable

Air transport

# Not applicable

### Inland waterway transport Not applicable

## **Rail transport**

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	3-butoxypropan-2-ol; propylene glycol monobutyl ether	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	3-butoxypropan-2-ol; propylene glycol monobutyl ether ; Dipropylene glycol methyl ether ; 2-(2- butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	3-butoxypropan-2-ol; propylene glycol monobutyl ether	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
55.	2-(2- butoxyethoxy)ethanol; diethylene glycol monobutyl ether	2-(2-butoxyethoxy)ethanol (DEGBE)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

#### Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate BCF **Bioconcentration factor** BI V Biological limit value BOD Biochemical oxygen demand (BOD) COD Chemical oxygen demand (COD) DMEL Derived Minimal Effect level DNEL Derived-No Effect Level EC-No. European Community number FC50 Median effective concentration

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H226	Flammable liquid and vapour.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H373	May cause damage to organs through prolonged or repeated exposure.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878