

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/26/2020 Revision date: 10/22/2024 Supersedes version of: 1/10/2024 Version: 4.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	:	Mixture
Trade name	:	<b>REVOLVE - Tire Cleaner</b>
UFI	:	0R79-2M3A-120E-GS3R
Product code	:	115555662
Product group	:	Trade product

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### **Relevant identified uses**

Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Other vehicle (all t

#### : Other vehicle (all types) cleaning and care products

Distributor AENSO UK LTD Chandos House School Lane

GB MK18 1HD Buckingham T +441280703163

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer
Brands Alliance s.r.o. Ltd
Pri Šajbách 1
SK 831 06 Bratislava
T +421244871700
msds@brandsalliance.eu, www.brandsalliance.eu

#### **1.4. Emergency telephone number**

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16

```
Adverse physicochemical, human health and environmental effects
```

Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Precautionary statements (CLP)

Signal word (CLP) Hazard statements (CLP)

<	1	
	$\mathbf{V}$	
(	GHS07	
14/		

H319

•	Warning	
•	Warning	

- : H319 Causes serious eye irritation.
  - : P102 Keep out of reach of children.
    - P264 Wash hands thoroughly after handling.
    - P280 Wear eye protection, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
9-Decenoic acid	CAS-No.: 25601-41-6 EC-No.: 662-772-0	1 – 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Glycerine substance with national workplace exposure limit(s) (DE, GB, PL, SK)	CAS-No.: 56-81-5 EC-No.: 200-289-5	1 – 5	Acute Tox. 2 (Oral), H300
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (DE, GB, NL, PL, SK); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8	1 – 5	Eye Irrit. 2, H319 STOT RE 2, H373
Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1	1 – 5	Eye Dam. 1, H318
Citric acid substance with national workplace exposure limit(s) (DE)	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3	1 – 5	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.
4.3. Indication of any immediate medic	al attention and special treatment needed

Treat symptomatically.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>		
5.2. Special hazards arising from the subst	tance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>No fire hazard.</li> <li>No direct explosion hazard.</li> <li>Toxic fumes may be released.</li> </ul>		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	<ul> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipr	nent and emergency procedures		
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Protective equipment	: Wear recommended personal protective equipment.		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.		

## 6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for cor	ntainment and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.</li> </ul>
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures Storage conditions	<ul><li>Keep in a cool, well-ventilated place away from heat.</li><li>Keep cool. Protect from sunlight.</li></ul>

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials

: Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)			
United Kingdom - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
WEL TWA (OEL TWA)	67.5 mg/m³		
	10 ppm		
WEL STEL (OEL STEL)	101.2 mg/m <sup>3</sup>		
	15 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Glycerine (56-81-5)			
United Kingdom - Occupational Exposure Limits			
Local name	Glycerol		
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> mist		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

#### 8.2. Exposure controls

#### Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

Personal protective equipment:

Safety glasses.

Personal protective equipment symbol(s):



#### Eye and face protection

Eye protection: Safety glasses

**Skin protection** 

**Skin and body protection:** Wear suitable protective clothing

Hand protection:

Protective gloves

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	0,4-0,7		EN 374-2, EN ISO 374, EN ISO 374-1

## Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### **Environmental exposure controls**

#### Environmental exposure controls:

Avoid release to the environment.

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light grey.
Appearance	: Liquid.
Odour	: Disagreeable.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: < -20 °C
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: ≈7
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1	0.4	1. (	Co	nd	liti	ons	to	avoi	id
	<b>U</b>					Ulia		avu	

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified Not classified
Alkyl glucoside (68515-73-1)	
LD50 oral rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity</li> <li>- Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)</li> </ul>
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
2-(2-butoxyethoxy)ethanol; diethylene glyco	I monobutyl ether (112-34-5)
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645
Glycerine (56-81-5)	
LD50 oral rat	27 mg/kg bodyweight Animal: rat, Animal sex: female
LC50 Inhalation - Rat	5.85 mg/l air Animal: rat
LC50 Inhalation - Rat (Vapours)	> 2.75 mg/l Source: ECHA
Citric acid (77-92-9)	
LD50 oral rat	3000 mg/kg Source: OECD Screening Information Data Set
LD50 oral	5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 4500 - 6400
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
9-Decenoic acid (25601-41-6)	
LD50 oral rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline</li> <li>420 (Acute Oral Toxicity - Fixed Dose Method)</li> </ul>
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Skin corrosion/irritation	: Not classified pH: ≈ 7
Glycerine (56-81-5)	
рН	10.5
Serious eye damage/irritation	: Causes serious eye irritation. pH: ≈ 7

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Glycerine (56-81-5)	
рН	10.5
Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:	Not classified Not classified Not classified Not classified
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure:STOT-repeated exposure:	Not classified Not classified
Alkyl glucoside (68515-73-1)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	< 200 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Citric acid (77-92-9)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat
9-Decenoic acid (25601-41-6)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard :	Not classified
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
Viscosity, kinematic	6.794 mm²/s
11.2. Information on other hazards	

No additional information available

## SECTION 12: Ecological information

# **12.1. Toxicity** Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50 - Fish [1]       100.81 mg1 Test organisms (species): Danio retio (previous name: Brachydanio retio)         LC50 - Ciusiacea [1]       > 100 mg1 Test organisms (species): Danio retio (previous name: Brachydanio retio)         EC50 - Ciusiacea [1]       > 100 mg1 Test organisms (species): Deamodesmus subspicatus (previous name: Scenedesmus subspicatus)         EC50 72h - Aigae [2]       37 mg1 Test organisms (species): Deamodesmus subspicatus (previous name: Scenedesmus subspicatus)         242-butoxyethoxyjethanol; diethylene glycol	Alkyl glucoside (68515-73-1)	
EC50 - Crustacea [1]       > 100 mgl Test organisms (species): Deprine magna         EC50 - Zh - Algae [1]       Z7 Z2 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         EC50 72h - Algae [2]       37 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         22(2-butoxyathoxy)othanol; diethyleng glycol       monobulyl ether (112-34-5)         LC50 - Fish [1]       1300 mgl Test organisms (species): Depmis macrochirus         EC50 306h - Algae [1]       > 100 mgl Test organisms (species): Depmis macrochirus         EC50 406h - Algae [1]       > 100 mgl Test organisms (species): Depmis macrochirus         EC50 50 50 50 50 50 50 50 50 50 50 50 50 5	LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]       27.22 mg1 Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         EC50 72h - Algae [2]       37 mg1 Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         2.(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         LC50 - Fish [1]       1300 mg1 Test organisms (species): Leponis macrochirus         EC50 96h - Algae [1]       > 100 mg1 Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Glycerine (56-81-5)       LC50 - Fish [1]       \$400 mg1 Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Citric acid (77-92-9)       LC50 - Fish [1]       \$40 mg1 Test organisms (species): Oncorhynchus mykiss (previous name: Scenedesmus subspicatus)         CL50 - Other aquatic organisms [1]       > 50 mg1 Test organisms (species): Oncorhynchus mykiss (previous name: Scenedesmus subspicatus)         CL50 - Tish [1]       44 mg1 Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg1 Test organisms (species): Daphnia magna         EC50 - Tish [1]       44 mg1 Test organisms (species): Daphnia magna         EC50 - Sish [1]       0 B mg1 Test organisms (species): Daphnia magna         EC50 - Cher aquatic organisms [1]       > 50 mg1 Test organisms (species): Daphnia magna         EC50 - Cher aquatic organisms [1]       > 61 mg1 Test organisms (species): Daphnia magna <td>LC50 - Fish [2]</td> <td>170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)</td>	LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
Scenedesmus subspicatus)           EC50 72h - Algae [2]         37 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           242-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)           LC50 - Fish [1]         1300 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           Clycorine (56-81-5)         >           LC50 - Fish [1]         54000 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           Clycorine (56-81-5)            LC50 - Fish [1]         54000 mgl Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairchen)           Clycorine (36-81-5)            LC50 - Fish [1]         54 mgl Source: ECOTOX           EC50 - Other aquatic organisms [1]         > 50 mgl Test organisms (species): other aquatic orustacea:           9-Decenotic acid (25601-41-6)            LC50 - Fish [1]         44 mgl Test organisms (species): Pathia magna           EC50 - Other aquatic organisms [1]         > 50 mgl Test organisms (species): Pathia magna           EC50 - Other aquatic organisms [1]         > 63 mgl Test organisms (species): Pathia magna           EC50 - Other aquatic organisms [1]         0.8 mgl Test organisms (species): Pathia magna           EC50 - Other aquatic organisms (species): Daphnia magna Duration: '21 d'         0.12 mgl Test organisms (spec	EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
Scenedasmus subspicatus)           2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)           LC50 - Fish [1]         1300 mg/l Test organisms (species): Leponis macrochius           EC50 - Crustacea [1]         > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           Glycerine (56-81-5)         LC50 - Fish [1]         5400 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Scenedesmus subspicatus)           Citric acid (77-92-9)         LC50 - Fish [1]         48 mg/l Source: ECOTOX           EC50 - Other aquatic organisms [1]         > 50 mg/l Test organisms (species): oncertynchus mykiss (previous name: Salmo gaidmen)           9-Dacenoic acid (25601-41-6)         LC50 - Fish [1]         44 mg/l Test organisms (species): other aquatic crustacea:           9-Dacenoic acid (25601-41-6)         LC50 - Crustacea [1]         0.8 mg/l Test organisms (species): Pseudokincheriella subcapitat (previous names: Raphidoceils subcapitat, Selenastrum acpromutum)           EC50 - Crustacea [1]         0.8 mg/l Test organisms (species): Pseudokincheriella subcapitat (previous names: Raphidoceils subcapitat, Selenastrum acpromutum)           EC50 96h - Algae [1]         7.6 mg/l Test organisms (species): Pseudokincheriella subcapitat (previous names: Raphidoceils subcapitat, Selenastrum acpromutum)           EC50 96h - Algae [1]         7.8 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           LOEC (dtronic)         0.121 mg/l Test organisms (species): D	EC50 72h - Algae [1]	
LCS0 - Fish [1]       1300 mg/l Test organisms (species): Lepomis macrochirus         ECS0 - Crustacea [1]       > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Glycerine (56-81-5)       .         LCS0 - Fish [1]       \$ 4000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Citric acid (77-92-9)       .         LCS0 - Fish [1]       48 mg/l Source: ECOTOX         ECS0 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenoic acid (26601-41-6)       .         LCS0 - Fish [1]       4.4 mg/l Test organisms (species): Dephnia magna         ECS0 - Crustacea [1]       0.8 mg/l Test organisms (species): Dephnia magna         ECS0 - Crustacea [1]       0.8 mg/l Test organisms (species): Dephnia magna         ECS0 - Crustacea [1]       0.8 mg/l Test organisms (species): Dephnia magna         ECS0 72h - Algae [1]       7.6 mg/l Test organisms (species): Dephnia magna         ECS0 96h - Algae [1]       7.6 mg/l Test organisms (species): Dephnia magna         ECS0 92h - Algae [1]       7.6 mg/l Test organisms (species): Dephnia magna         LCEC (chronic)       > 0.121 mg/l Test organisms (species): Dephnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Dephnia magna Duration: '21 d'         12.	EC50 72h - Algae [2]	
EC50 - Crustacea [1]       > 100 mgl Test organisms (species): Daphnia magna         EC50 - Grustacea [1]       > 100 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Glycerine (56-81-5)       EC50 - Fish [1]         LC50 - Fish [1]       S4000 mgl Test organisms (species): Oncorhynchus mykies (previous name: Salmo gairdneri)         Clfric acid (77-92-9)       EC50 - Other aquatic organisms [1]         LC50 - Fish [1]       48 mg/l Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenolc acid (25601-41-6)       EC50 - Crustacea [1]         LC50 - Fish [1]       4.4 mgl Test organisms (species): Daphnia magna         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 - Grustacea [1]       6.7 mg/l Test organisms (species): Daphnia magna         EC50 96h - Algae [1]       Raphidocelis subcapitata, Selenastrum capricormutum)         LC5C (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         LC5C (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         L22. Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability       Not rapidly degradable <tr< td=""><td>2-(2-butoxyethoxy)ethanol; diethylene glycol</td><td>monobutyl ether (112-34-5)</td></tr<>	2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
ECS0 96h - Algae [1]       > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         Glycorine (56-81-5)       LCS0 - Fish [1]       \$4000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         Citric acid (77-92-9)       LCS0 - Fish [1]       48 mg/l Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Dacenoic acid (25601-41-6)       LCS0 - Fish [1]       4.4 mg/l Test organisms (species): Plimephales promelas         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 96h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocellis subcapitata, Selenastrum capricormutum)         LCSC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         12.2. Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)       Intrapidly degradable	LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus
Glycerine (56-81-5)       Scenedesmus subspicatus)         LC50 - Fish [1]       \$4000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo galdneri)         Citric acid (77-92-9)       EC50 - Fish [1]         LC50 - Fish [1]       48 mg/l Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenoic acid (25601-41-6)       EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna       EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 - Crustacea [1]       0.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelli subcapitata, Selenastrum capricomutum)         EC50 9Gh - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelli subcapitata, Selenastrum capricomutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         12.2. Persistence and degradability       Not rapidly degradable         Akyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability	EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
LCS0 - Fish [1]       54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         Cltric acid (77-92-9)       48 mg/l Source: ECOTOX         LCS0 - Fish [1]       48 mg/l Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenoic acid (25601-41-6)       1         LC50 - Fish [1]       4.4 mg/l Test organisms (species): Daphnia magna         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocells subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         12.2. Porsistence and degradability       Not rapidly degradable	EC50 96h - Algae [1]	
gairdneri)           Citric acid (77-92-9)           LC50 - Fish [1]         48 mg/l Source: ECOTOX           EC50 - Other aquatic organisms [1]         > 50 mg/l Test organisms (species): other aquatic crustacea:           9-Decenoic acid (25601-41-6)            LC50 - Fish [1]         4.4 mg/l Test organisms (species): Pimephales promelas           EC50 - Crustacea [1]         0.8 mg/l Test organisms (species): Daphnia magna           EC50 - Crustacea [1]         6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocells subcapitata, Selenastrum capricornutum)           EC50 96h - Algae [1]         7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocells subcapitata, Selenastrum capricornutum)           LOEC (chronic)         > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           NOEC (chronic)         0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           NOEC (chronic)         0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           NOEC (chronic)         0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           NOEC (chronic)         0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'           NOEC (chronic)         Not rapidly degradable           Alkyl glucoside (68515-73-1)         Persistence and degradability           Persistence and degradability	Glycerine (56-81-5)	
LC50 - Fish [1]       48 mg/l Source: ECOTOX         EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenoic acid (25601-41-6)	LC50 - Fish [1]	
EC50 - Other aquatic organisms [1]       > 50 mg/l Test organisms (species): other aquatic crustacea:         9-Decenoic acid (25601-41-6)         LC50 - Fish [1]       4.4 mg/l Test organisms (species): Pimephales promelas         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocells subcapitata, Selenastrum capricomutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocells subcapitata, Selenastrum capricomutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         REVOLVE - Tire Cleaner       Persistence and degradability         Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	Citric acid (77-92-9)	
9-Decenoic acid (25601-41-6)         LC50 - Fish [1]       4.4 mg/l Test organisms (species): Pimephales promelas         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d' <b>12.2. Persistence and degradability</b> Not rapidly degradable         Alkyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability       Not rapidly degradable <b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b> Persistence and degradability       Not rapidly degradable <b>Glycerine (56-81-5)</b> Persistence and degradability         Persistence and degradability       Not rapidly degradable <b>Citric acid (77-92-9)</b> Not rapidly degradable	LC50 - Fish [1]	48 mg/l Source: ECOTOX
LC50 - Fish [1]       4.4 mg/l Test organisms (species): Pimephales promelas         EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocellis subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocellis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         REVOLVE - Tire Cleaner       Persistence and degradability         Persistence and degradability       Not rapidly degradable         2.(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)       Persistence and degradability         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)       Persistence and degradability      <	EC50 - Other aquatic organisms [1]	> 50 mg/l Test organisms (species): other aquatic crustacea:
EC50 - Crustacea [1]       0.8 mg/l Test organisms (species): Daphnia magna         EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d' <b>12.2. Persistence and degradability</b> Not rapidly degradable <b>Alkyi glucoside (68515-73-1)</b> Persistence and degradability         Persistence and degradability       Not rapidly degradable <b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b> Persistence and degradability       Not rapidly degradable <b>Glycerine (56-81-5)</b> Persistence and degradability         Persistence and degradability       Not rapidly degradable <b>Citric acid (77-92-9)</b> Not rapidly degradable	9-Decenoic acid (25601-41-6)	·
EC50 72h - Algae [1]       6.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d' <b>12.2. Persistence and degradability</b> REVOLVE - Tire Cleaner         Persistence and degradability         Alky1 glucoside (68515-73-1)         Persistence and degradability         Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability         Persistence and degradability         Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability         Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability         Not rapidly degradable         Citric acid (77-92-9)	LC50 - Fish [1]	4.4 mg/l Test organisms (species): Pimephales promelas
Raphidocelis subcapitata, Selenastrum capricornutum)         EC50 96h - Algae [1]       7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d' <b>12.2. Persistence and degradability REVOLVE - Tire Cleaner</b> Persistence and degradability         Not rapidly degradable <b>Alkyl glucoside (68515-73-1)</b> Persistence and degradability         Not rapidly degradable <b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b> Persistence and degradability         Not rapidly degradable <b>Glycerine (56-81-5)</b> Persistence and degradability         Not rapidly degradable <b>Citric acid (77-92-9)</b>	EC50 - Crustacea [1]	0.8 mg/l Test organisms (species): Daphnia magna
Raphidocelis subcapitata, Selenastrum capricornutum)         LOEC (chronic)       > 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         12.2. Persistence and degradability       REVOLVE - Tire Cleaner         Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)       Persistence and degradability         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)       Persistence and degradability         Persistence and degradability       Not rapidly degradable         Gitric acid (77-92-9)       Interval and	EC50 72h - Algae [1]	
NOEC (chronic)       0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         12.2. Persistence and degradability         REVOLVE - Tire Cleaner         Persistence and degradability         Not rapidly degradable         Alkyl glucoside (68515-73-1)         Persistence and degradability         Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability         Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability         Not rapidly degradable         Citric acid (77-92-9)	EC50 96h - Algae [1]	
12.2. Persistence and degradability         REVOLVE - Tire Cleaner         Persistence and degradability         Not rapidly degradable         Alkyl glucoside (68515-73-1)         Persistence and degradability         Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability         Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability         Not rapidly degradable         Citric acid (77-92-9)	LOEC (chronic)	> 0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
REVOLVE - Tire Cleaner         Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)	NOEC (chronic)	0.121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Persistence and degradability       Not rapidly degradable         Alkyl glucoside (68515-73-1)         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)	12.2. Persistence and degradability	
Alkyl glucoside (68515-73-1)         Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)	REVOLVE - Tire Cleaner	
Persistence and degradability       Not rapidly degradable         2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)	Persistence and degradability	Not rapidly degradable
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)         Persistence and degradability       Not rapidly degradable         Glycerine (56-81-5)         Persistence and degradability       Not rapidly degradable         Citric acid (77-92-9)	Alkyl glucoside (68515-73-1)	
Persistence and degradability     Not rapidly degradable       Glycerine (56-81-5)     Persistence and degradability       Not rapidly degradable       Citric acid (77-92-9)	Persistence and degradability	Not rapidly degradable
Glycerine (56-81-5)       Persistence and degradability       Not rapidly degradable       Citric acid (77-92-9)	2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
Persistence and degradability     Not rapidly degradable       Citric acid (77-92-9)	Persistence and degradability	Not rapidly degradable
Citric acid (77-92-9)	Glycerine (56-81-5)	
	Persistence and degradability	Not rapidly degradable
Persistence and degradability Not rapidly degradable	Citric acid (77-92-9)	
	Persistence and degradability	Not rapidly degradable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9-Decenoic acid (25601-41-6)	
Persistence and degradability	Not rapidly degradable
12.3. Bioaccumulative potential	
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)
Partition coefficient n-octanol/water (Log Pow)	0.56
Glycerine (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 Source: ECHA
Citric acid (77-92-9)	
Partition coefficient n-octanol/water (Log Pow)	-1.7 Source: ICSC
12.4. Mobility in soil	
Alkyl glucoside (68515-73-1)	
Mobility in soil	0.2624 Source: EPISUITE
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Disposal must be done according to official regulations.</li> <li>Do not re-use empty containers.</li> </ul>

# **SECTION 14: Transport information**

n accordance with ADR / IMDG / IATA / ADN / RID						
ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not regulated for transport						
14.2. UN proper shipping	g name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary informatio	n available					
14.6. Special precautions	s for user					
Overland transport Not regulated						
Fransport by sea Not regulated						
Air transport Not regulated						
nland waterway transport Not regulated						

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	REVOLVE - Tire Cleaner ; Alkyl glucoside ; 2-(2- butoxyethoxy)ethanol; diethylene glycol monobutyl ether ; Glycerine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	9-Decenoic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
55.	2-(2- butoxyethoxy)ethanol; diethylene glycol monobutyl ether	2-(2-butoxyethoxy)ethanol (DEGBE)	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acr	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H300	Fatal if swallowed.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.